

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.		FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/029,506	12/21/2001		Hanuman B. Jampani	ETH-1601 (J&J 3.0-071)	4582
27614	7590	02/08/2005		EXAMINER	
RALPH W		TO, JR. ENGLISH, LLP	FUBARA, BLESSING M		
GATEWAY		•	ART UNIT	PAPER NUMBER	
100 MULBI			1615		
NEWARK, NJ 07102				DATE MAILED: 02/08/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)					
	10/029,506	JAMPANI ET AL.					
Office Action Summary	Examiner	Art Unit					
	Blessing M. Fubara	1615					
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet with the c	orrespondence address					
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reg. If NO period for reply is specified above, the maximum statutory period.  - Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailine earned patent term adjustment. See 37 CFR 1.704(b).		nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).					
Status							
1)⊠ Responsive to communication(s) filed on 27.5	September 2004.						
Disposition of Claims							
4) ⊠ Claim(s) 1-45 is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 1-45 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/or	awn from consideration.	·					
Application Papers	₹.						
9)☐ The specification is objected to by the Examin	er.	·					
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.							
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11)☐ The oath or declaration is objected to by the E	xaminer. Note the attached Office	Action or form PTO-152.					
Priority under 35 U.S.C. § 119		•					
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority documen 2. Certified copies of the priority documen 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list	ts have been received. ts have been received in Applicationity documents have been received in (PCT Rule 17.2(a)).	on No d in this National Stage					
Attachment(s)							
Notice of References Cited (PTO-892)	4) Interview Summary ( Paper No(s)/Mail Da						
<ul> <li>2) Notice of Draitsperson's Patent Drawing Review (PTO-948)</li> <li>3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date</li> </ul>		atent Application (PTO-152)					

Application/Control Number: 10/029,506 Page 2

Art Unit: 1615

## **DETAILED ACTION**

Examiner acknowledges receipt of request for extension of time, amendment and remarks filed 09/27/04.

## Claim Rejections - 35 USC § 102

1. Claims 1-11, 17-24, 27-33 and 39-45 rejected under 35 U.S.C. 102(b) as being anticipated by Rosenthal et al. (EP 0 562 864).

Applicants argue that the embedded structures within the sponge matrix of Rosenthal cannot surround the implants sponge matrix and that Rosenthal does not disclose the use of any means for predetermining a permeation gradient or the presence of an enclosing means or any substructure that has an outwardly directed surface.

2. Applicants' arguments filed 09/27/04 have been fully considered but they are not persuasive.

The present claims do not exclude a sponge. The substructure of polyglycolic acid film is the enclosing film. The outwardly directed surface of the claimed product allows the passage of pharmaceutically active agents through. The substructure in Rosenthal may be oriented within the matrix to provide conduits or pathways (column 5, lines 12-50) and these pathways or conduits while allowing cells to infiltrate also permits the release of active agents and the claims broadly read on Rosenthal. The substructure or matrix in Rosenthal provides controlled or phasic release of active agents into the wounds.

## Claim Rejections - 35 USC § 103

3. Claims 12-16 and 34-38 remain rejected under 35 U.S.C. 103(a) as being unpatentable over Rosenthal et al. (EP 0 562 864).

Application/Control Number: 10/029,506 Page 3

Art Unit: 1615

4. Claims 25 and 26 remain rejected under 35 U.S.C. 103(a) as being unpatentable over Rosenthal et al. (EP 0 562 864) in view of Suzuki et al. (JP 405163424).

Applicants argue that because the present application is distinct over Rosenthal, the designated claims cannot also be obvious over Rosenthal alone or in combination with Suzuki.

5. Applicants' arguments filed 09/27/04 have been fully considered but they are not persuasive.

For reasons set forth above, claims 12-16, 34-38 and 25 and 26 are obvious over Rosenthal and Rosenthal in view of Suzuki.

6. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Blessing M. Fubara whose telephone number is (571) 272-0594.

The examiner can normally be reached on 7 a.m. to 3:30 p.m. (Monday to Friday).

Application/Control Number: 10/029,506 Page 4

Art Unit: 1615

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thurman K. Page can be reached on (571) 272-0602. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Blessing Fubara Patent Examiner Tech. Center 1600

> THURMAN K. PAGE SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 1600